

[Clear](#)
[Generate Collection](#)
[Print](#)
[Fwd Refs](#)
[Bkwd Refs](#)

☐ 1. Document ID: US 6295291 B1

Sep 25, 2001

TITLE: Setup of new subscriber radiotelephone service using the internet

The authentication center (125) also generates an authentication key for use by the radiotelephone. In the future, when the radiotelephone tries to register with the system, this data is compared with the encryption data stored in the authentication center (125) to determine if the radiotelephone's directory number and electronic serial number have been copied from another radiotelephone. The authentication process is well known in the art and is not discussed further.

The MSC (115) normally accesses the HLR (110) for the subscriber's profile when it receives a directory number. However, since the temporary directory number is not in the HLR, the MSC knows that the received number is one of a block of numbers that are for temporary use in radiotelephones that have not been programmed. This causes the MSC (115) to access the OTAF (135) (step 220) over an IS-41 link, sending to the OTAF (135) the data received from the radiotelephone such as the temporary directory number, the radiotelephone's electronic serial number, and any authentication data transmitted by the radiotelephone. The OTAF (135) collects the potential subscriber's profile, including the radiotelephone's permanent directory number, from the billing system (130) and the authentication data, assigned to the radiotelephone, from the authentication center (125). The OTAF (135) then sends this information to the MSC (115), over the IS-41 link, for transmission to the radiotelephone (step 225). Alternate embodiments use other protocol links between the OTAF (135) and the MSC (115).

Activation of the Submit button (602) informs the web server to format the new profile into the appropriate delimited format. The preferred formatting is done using a protocol. Other embodiments use some type of delimiting such as tabs or semicolons. The profile is then submitted to the HLR over the provisioning interface for storage (step 720) and use by the MSC.

| Full | Title | Citation | Front | Review | Classification | Date | Reference | | | Claims | KuNC | Drawn De |
|------|-------|----------|-------|--------|----------------|------|-----------|--|--|--------|------|----------|
|------|-------|----------|-------|--------|----------------|------|-----------|--|--|--------|------|----------|

| | | | | | |
|-------|---------------------|-------|----------|-----------|---------------|
| Clear | Generate Collection | Print | Fwd Refs | Bkwd Refs | Generate OACS |
|-------|---------------------|-------|----------|-----------|---------------|

| | |
|--|--|
| | |
|--|--|

| Term | Documents |
|-------------------------------------------------------|-----------|
| PROTOCOL\$ | 0 |
| PROTOCOL | 126850 |
| PROTOCOLABCFILETRANSFER | 1 |
| PROTOCOLABLE | 1 |
| PROTOCOLAL | 3 |
| PROTOCOLAN | 1 |
| PROTOCOLAND | 5 |
| PROTOCOLAR | 2 |
| PROTOCOLARY | 1 |
| PROTOCOLAS | 2 |
| PROTOCOLAX | 3 |
| (L1 AND (PROTOCOL\$ OR FILTER\$ OR ENCRYPT\$)).USPT. | 1 |

There are more results than shown above. [Click here to view the entire set.](#)

Display Format:

[Previous Page](#)

[Next Page](#)

[Go to Doc#](#)

Hit List

| | | | | |
|---------------|---------------------|-------|----------|-----------|
| Clear | Generate Collection | Print | Fwd Refs | Bkwd Refs |
| Generate OACS | | | | |

Search Results - Record(s) 1 through 1 of 1 returned.

☐ 1. Document ID: US 6295291 B1

L4: Entry 1 of 1

File: USPT

Sep 25, 2001

DOCUMENT-IDENTIFIER: US 6295291 B1

TITLE: Setup of new subscriber radiotelephone service using the internet

Abstract Text (1):

A potential radiotelephone service subscriber logs on to a world wide web server (105) using an internet access device (101). The potential subscriber is presented with a plurality of selectable radiotelephone services and features. The potential subscriber then provides the billing system (130) with credit information that is validated through the credit validation system (140). A radiotelephone service profile is stored in the home location register (110) after the subscription process has been completed. The subscriber is then instructed to power up the radiotelephone that then registers with the system. An over-the-air activation function (135) collects data from the billing system (130) and an authentication center (125) and sends the data to the mobile switching center (115) that then transmits it through the base station (120) to the radiotelephone. The radiotelephone reprograms its own registers with the appropriate data.

Brief Summary Text (9):

The present invention encompasses a system and method for providing radiotelephone service to a radiotelephone. The present invention uses an internet access device to access an internet coupled world wide web server. The server provides a web page that displays and makes available a plurality of radiotelephone services and features.

Brief Summary Text (10):

The potential radiotelephone service subscriber logs on to the internet coupled server with the internet access device and selects from the plurality of radiotelephone services and features. The selected features and services are saved as the radiotelephone profile.

Detailed Description Text (5):

The internet access device (101) is coupled to the world wide web server (105) through the internet. This is done using a modem and connecting to the internet using an internet service provider. Other embodiments use other connections to the internet such as an Integrated Services Digital Network (ISDN) line that provides greater access speed.

Detailed Description Text (6):

The world wide web server (105) is a computer running server routines that are well known in the art. Hewlett Packard, Inc. and International Business Machines, Inc. (IBM) are manufacturers of dedicated servers. Additionally, a desktop computer operating the proper software may be configured as a server.

Detailed Description Text (7):

The web server (105) acts as a firewall to the system, limiting access to authorized users who have the proper identification information. In the preferred embodiment, the server (105) stores the web pages required by the processes of the present invention.

Detailed Description Text (8):

The billing system (130), coupled to the web server (105) is a billing server computer that performs billing processes, keeps records on the subscribers in the service provider's system, and sends the selected radiotelephone service features to a home location register (HLR) (110). The billing processes include tracking the subscriber's service plan and air time rates, tracking the subscriber's air time, and tracking the features that the subscriber has chosen. All of these factors enter into the bill that the subscriber receives. Therefore, if the subscriber changes his profile, the billing system must know in order to change the billing for the subscriber.

Detailed Description Text (12):

The billing system (130) is coupled to the world wide web server (105) and the HLR (110) by ethernet connections. Other embodiments couple these components by other connections such as radio frequency or microwave, thus allowing the billing system (130) to be removed from the other system components by greater distances.

Detailed Description Text (20):

The process begins with the potential subscriber logging on to the service provider's internet coupled world wide web server (step 201). A successful logging on operation brings up a web page, illustrated in FIG. 3, on the potential subscriber's computer or other internet access device. This page includes such items as the potential subscriber's name (301), radiotelephone manufacturer name (305), and various menu items (310-317). Subsequent web pages collect financial information such as credit card number and model number of the radiotelephone to be programmed. Alternate embodiments use other web page formats to enter similar information.

Detailed Description Text (23):

After the potential subscriber is finished entering the above information and the credit check is complete, the entered information is stored as the subscriber profile in the billing system. The billing information is stored in the billing system server and the service and feature information is stored in the HLR.

Detailed Description Text (33):

In the preferred embodiment, the identification information is validated (step 710) by the web server. The validation process is accomplished by the server comparing from a table, stored in memory or on a drive, the radiotelephone number with a password. If the radiotelephone number and password from the table is the same as the identification information entered by the subscriber, access to the profile management system is granted.

Detailed Description Text (43):

Activation of the Submit button (602) informs the web server to format the new profile into the appropriate delimited format. The preferred formatting is done using a protocol. Other embodiments use some type of delimiting such as tabs or semicolons. The profile is then submitted to the HLR over the provisioning interface for storage (step 720) and use by the MSC.

Other Reference Publication (1):

rfc1789.htm "INETPhone: Telephone Services and Servers on Internet", C. Yang, 6 pages, Apr. 1995.*

CLAIMS:

1. A system for utilizing the Internet to request a subscription to radiotelephone service or to change a current radiotelephone service subscription, the radiotelephone being programmable to provide the requested service in response to its receipt of a wireless programming signal, the service requester having access to the internet via an internet access device, the system comprising:

an internet web server connected to the internet for

(i) presenting to the requester a sensible listing of radiotelephone services and features in response to being accessed by the internet access device, the services and features being selectable by the requester's manipulation of the internet access device, and

(ii) providing queries to the requester which require the requester to provide selected authentication data and credit data via the internet access device concerning the requester and the radiotelephone;

a billing server for receiving credit data from the web server, and then, if the credit data is veracious, storing the service and feature selections made by the requester, the billing server being adapted to also accumulate and store billing data related to the use of the radiotelephone with the selected services and features;

a radiotelephone switching center, which is connectable to wire and wireless telephone networks, for

(i) receiving the service and feature selections stored by the billing server, and,

(ii) effecting and performing the selected services and features as it routes communications to and from the radiotelephone over the networks in response to both (a) an authentication signal and (b) the requester attempting to use the radiotelephone to place or receive a communication over the networks;

an authentication center for providing the authentication signal if the authentication data presented by the requester is veracious; and

a radiotelephone activator in communication with the billing server and the switching center and responsive to the authentication signal for sending a wireless programming signal to the radiotelephone upon initial activation thereof with the selected features and services, the wireless signal appropriately programming the radiotelephone to provide the selected services and features that coincide with those received by the billing server and the switching center.

| Full | Title | Citation | Front | Review | Classification | Date | Reference | | | Claims | IAAC | Drawn De |
|------|-------|----------|-------|--------|----------------|------|-----------|--|--|--------|------|----------|
|------|-------|----------|-------|--------|----------------|------|-----------|--|--|--------|------|----------|

| | | | | | |
|-------|---------------------|-------|----------|-----------|---------------|
| Clear | Generate Collection | Print | Fwd Refs | Bkwd Refs | Generate OACS |
|-------|---------------------|-------|----------|-----------|---------------|

| Term | Documents |
|-----------|-----------|
| SERVERS\$ | 0 |
| SERVER | 56827 |
| SERVERA | 13 |
| | |

Hit List

| | | | | |
|---------------|---------------------|-------|----------|-----------|
| Clear | Generate Collection | Print | Fwd Refs | Blwd Refs |
| Generate OACS | | | | |

Search Results - Record(s) 1 through 1 of 1 returned.

☐ 1. Document ID: US 6295291 B1

L5: Entry 1 of 1

File: USPT

Sep 25, 2001

DOCUMENT-IDENTIFIER: US 6295291 B1

TITLE: Setup of new subscriber radiotelephone service using the internet

Abstract Text (1):

A potential radiotelephone service subscriber logs on to a world wide web server (105) using an internet access device (101). The potential subscriber is presented with a plurality of selectable radiotelephone services and features. The potential subscriber then provides the billing system (130) with credit information that is validated through the credit validation system (140). A radiotelephone service profile is stored in the home location register (110) after the subscription process has been completed. The subscriber is then instructed to power up the radiotelephone that then registers with the system. An over-the-air activation function (135) collects data from the billing system (130) and an authentication center (125) and sends the data to the mobile switching center (115) that then transmits it through the base station (120) to the radiotelephone. The radiotelephone reprograms its own registers with the appropriate data.

Brief Summary Text (6):

Typically, a potential radiotelephone service subscriber purchases a radiotelephone from a retailer. The retailer then calls a service provider in order to activate the radiotelephone for the subscriber. The service provider typically pays the retailer to provide this service for the subscriber.

Brief Summary Text (7):

There is a previously unforeseen need for a system that enables a potential subscriber to purchase radiotelephone service and various features from the service provider without retailer interaction. There is also a need for a process to operate this system in an efficient manner.

Brief Summary Text (10):

The potential radiotelephone service subscriber logs on to the internet coupled server with the internet access device and selects from the plurality of radiotelephone services and features. The selected features and services are saved as the radiotelephone profile.

Brief Summary Text (11):

Any credit information entered by the potential subscriber is verified with a credit validation system. The billing information provided by the potential subscriber is then saved in his billing system profile.

Detailed Description Text (2):

The processes and system of the present invention enables a potential radiotelephone subscriber to set up service with a radiotelephone service provider.

Using an internet access device, the potential subscriber can contact the service provider over the internet and subscribe to radiotelephone service.

Detailed Description Text (8):

The billing system (130), coupled to the web server (105) is a billing server computer that performs billing processes, keeps records on the subscribers in the service provider's system, and sends the selected radiotelephone service features to a home location register (HLR) (110). The billing processes include tracking the subscriber's service plan and air time rates, tracking the subscriber's air time, and tracking the features that the subscriber has chosen. All of these factors enter into the bill that the subscriber receives. Therefore, if the subscriber changes his profile, the billing system must know in order to change the billing for the subscriber.

Detailed Description Text (9):

When a potential subscriber is entered into the billing system (130), it may be determined if the potential subscriber has credit that is good enough for the service provider or if the potential subscriber's credit card information is accurate and the proper credit exists. The billing system (130), therefore, sends the identification information entered by the potential subscriber to the credit validation system (140) to determine the potential subscriber's credit status. The credit validation system (140) then sends back the results to the billing system (130).

Detailed Description Text (11):

The billing system (130) may additionally set up and manage prepaid air time. If the potential subscriber does not pass the credit check or if that person just desires to pay for blocks of time, the system can charge the potential subscriber's credit card for a certain amount. That amount can then be applied to the subscriber's account to be applied to the air time used by the subscriber. Once the prepaid amount is reduced to a certain threshold, the billing system may automatically charge the credit card again for a set amount.

Detailed Description Text (16):

The HLR (110) is well known in the art. It is a database of profiles for all of the radiotelephones operating in a particular service provider's system. The profiles include the features purchased by the subscriber.

Detailed Description Text (17):

The mobile switching center (MSC) (115) is also well known in the art. The MSC (115) is responsible for routing calls from the public switched telephone network (PSTN) to the appropriate base station (120) communicating with the subscriber's radiotelephone. The MSC (115) also performs the reverse task of routing a call from the radiotelephone to the PSTN.

Detailed Description Text (18):

The MSC (115) additionally performs the switching required by any of the features selected by the subscriber. Assume, for example, that the subscriber has purchased call forwarding. The subscriber enters into their radiotelephone the telephone number to which all incoming calls are to be forwarded. This information is transmitted to and stored in the HLR. When a call is received for the subscriber's radiotelephone number, the MSC finds the forwarding number in the profile received from the HLR and routes the call to the PSTN, or other MSCs, depending on the forwarding number.

Detailed Description Text (19):

FIG. 2 illustrates a flowchart of a process for the operation of the system of FIG. 1. This process takes the information entered by the potential subscriber, determines creditworthiness of the potential subscriber and then programs the radiotelephone with the appropriate data required to operate in the service

provider's system.

Detailed Description Text (20):

The process begins with the potential subscriber logging on to the service provider's internet coupled world wide web server (step 201). A successful logging on operation brings up a web page, illustrated in FIG. 3, on the potential subscriber's computer or other internet access device. This page includes such items as the potential subscriber's name (301), radiotelephone manufacturer name (305), and various menu items (310-317). Subsequent web pages collect financial information such as credit card number and model number of the radiotelephone to be programmed. Alternate embodiments use other web page formats to enter similar information.

Detailed Description Text (21):

After logging into the system, the potential subscriber is presented with the pages illustrated in FIGS. 5 and 6 enabling the subscriber to choose various service plans and features (step 205). These features and the process of selecting them are described subsequently in detail. These web pages are examples of possible formats and selectable information. Alternate embodiments use other web pages to achieve the same results.

Detailed Description Text (22):

The billing system, in conjunction with the credit validation system, determines the credit status of the potential subscriber (step 210). In the preferred embodiment, radiotelephone service is not provided until the credit status of the potential subscriber is verified.

Detailed Description Text (23):

After the potential subscriber is finished entering the above information and the credit check is complete, the entered information is stored as the subscriber profile in the billing system. The billing information is stored in the billing system server and the service and feature information is stored in the HLR.

Detailed Description Text (26):

The MSC (115) normally accesses the HLR (110) for the subscriber's profile when it receives a directory number. However, since the temporary directory number is not in the HLR, the MSC knows that the received number is one of a block of numbers that are for temporary use in radiotelephones that have not been programmed. This causes the MSC (115) to access the OTAF (135) (step 220) over an IS-41 link, sending to the OTAF (135) the data received from the radiotelephone such as the temporary directory number, the radiotelephone's electronic serial number, and any authentication data transmitted by the radiotelephone. The OTAF (135) collects the potential subscriber's profile, including the radiotelephone's permanent directory number, from the billing system (130) and the authentication data, assigned to the radiotelephone, from the authentication center (125). The OTAF (135) then sends this information to the MSC (115), over the IS-41 link, for transmission to the radiotelephone (step 225). Alternate embodiments use other protocol links between the OTAF (135) and the MSC (115).

Detailed Description Text (29):

FIG. 7 illustrates the process followed by the subscriber to create and manage his radiotelephone service profile. This process is described with reference to FIGS. 4-6.

Detailed Description Text (30):

Assuming the web browser program is running, the subscriber accesses the service provider's profile management home page (step 701). An example of such a page is illustrated in FIG. 4. This page is also referred to as the login page.

Detailed Description Text (31):

The home page includes areas for entering subscriber identification information. In the preferred embodiment, this information includes the cellular radiotelephone's assigned telephone number (401) and a password (405) known only to the subscriber. This password may be numeric, alphabetic, or alphanumeric.

Detailed Description Text (32):

Once the identification information is entered (step 705), the subscriber clicks on the enter key (410). If the information was not entered correctly, the reset key (415) may be used to clear the entries to allow re-entry of the information.

Detailed Description Text (33):

In the preferred embodiment, the identification information is validated (step 710) by the web server. The validation process is accomplished by the server comparing from a table, stored in memory or on a drive, the radiotelephone number with a password. If the radiotelephone number and password from the table is the same as the identification information entered by the subscriber, access to the profile management system is granted.

Detailed Description Text (35):

The main profile management page additionally presents the subscriber with a menu of options. After successful access to the system, these buttons are enabled allowing the subscriber to choose an option (step 715).

Detailed Description Text (37):

As an example of one function, if the "Update Profile" button (420) is activated, the web page illustrated in FIG. 5 is opened. This page shows the present service plan and features to which the subscriber has subscribed. By clicking on the appropriate boxes/buttons with the cursor, the subscriber can change his service plan including: rates, long distance carrier, and access to roaming. Additionally, basic features can be added or removed from the subscriber's profile by activating the appropriate box or button. Alternate embodiments list other features and use different formats.

Detailed Description Text (38):

Some features have sub-functions, as illustrated in FIG. 6, that also may be changed by the present invention. For example, if call forwarding is activated, another web page is displayed that illustrates information needed for call forwarding, such as: unsolicited calls received, the telephone is busy, there is no answer by the subscriber. In all of these cases, the subscriber can alter his profile by simply activating the appropriate button/box.

Detailed Description Text (39):

Another example of a function from the home page is the Try Before U Buy (430) function. This function enables the subscriber to try out a feature or service before being billed for it.

Detailed Description Text (40):

For example, if the subscriber wanted to find out if the call waiting feature would be useful as part of his service, he would activate the Try Before U Buy button (430), illustrated in FIG. 4, that would bring up the same web page illustrated in FIG. 5. The difference is that the features and services are not charged to the subscriber's account for a predetermined time. This time gives the subscriber a chance to try the features before actually purchasing them.

Detailed Description Text (41):

If, after the predetermined time, the subscriber doesn't re-enter the web page and make the new features permanent, the features are turned off. However, if the subscriber desires these features, the web pages can be reaccessed and the features added to the account.

Detailed Description Text (42):

Referring again to FIG. 6, if a mistake is made during the entry of any of the above changes, the subscriber can activate the Reset button (601) to clear out any changes and return to the original profile. Once the subscriber has correctly altered his profile as needed, the Submit button (602) is activated.

Detailed Description Text (44):

In summary, the system and processes of the present invention enable a potential subscriber to activate radiotelephone service using the internet. By using a computer to access the service provider's web page, the potential subscriber can create his profile quicker and at any time of the day without operator interaction. The present invention, therefore, saves the service provider money by reducing the number of operators required and potentially increasing the subscriber base by increasing the ease and flexibility of initiating service.

| Full | Title | Citation | Front | Review | Classification | Date | Reference | | | Claims | KWIC | Draw De |
|------|-------|----------|-------|--------|----------------|------|-----------|--|--|--------|------|---------|
|------|-------|----------|-------|--------|----------------|------|-----------|--|--|--------|------|---------|

| | | | | | |
|-------|---------------------|-------|----------|-----------|---------------|
| Clear | Generate Collection | Print | Fwd Refs | Bkwd Refs | Generate OACS |
|-------|---------------------|-------|----------|-----------|---------------|

| Term | Documents |
|----------------------------------------------------------|-----------|
| CLIENT\$ | 0 |
| CLIENT | 31822 |
| CLIENTA | 7 |
| CLIENTAB | 1 |
| CLIENTAB-OUTPUT | 1 |
| CLIENTACCOUNT | 1 |
| CLIENTACCOUNTNUMBER] | 1 |
| CLIENTADAPTOR | 1 |
| CLIENTADDR | 1 |
| CLIENTADDRESS | 1 |
| CLIENTADDRESSES | 2 |
| (L1 AND (CLIENT\$ OR CUSTOMER\$ OR SUBSCRIBER\$)).USPT. | 1 |

[There are more results than shown above. Click here to view the entire set.](#)

Display Format: **KWIC** [Change Format](#)

[Previous Page](#)

[Next Page](#)

[Go to Doc#](#)

Hit List

| | | | | |
|---------------|---------------------|-------|----------|-----------|
| Clear | Generate Collection | Print | Fwd Refs | Bkwd Refs |
| Generate OACS | | | | |

Search Results - Record(s) 1 through 1 of 1 returned.

☐ 1. Document ID: US 6295291 B1

L7: Entry 1 of 1

File: USPT

Sep 25, 2001

DOCUMENT-IDENTIFIER: US 6295291 B1

TITLE: Setup of new subscriber radiotelephone service using the internet

Detailed Description Text (16):

The HLR (110) is well known in the art. It is a database of profiles for all of the radiotelephones operating in a particular service provider's system. The profiles include the features purchased by the subscriber.

| | | | | | | | | | | | | |
|------|-------|----------|-------|--------|----------------|------|-----------|--|--|--------|------|--------|
| Full | Title | Citation | Front | Review | Classification | Date | Reference | | | Claims | KWIC | Draw D |
|------|-------|----------|-------|--------|----------------|------|-----------|--|--|--------|------|--------|

| | | | | | |
|-------|---------------------|-------|----------|-----------|---------------|
| Clear | Generate Collection | Print | Fwd Refs | Bkwd Refs | Generate OACS |
|-------|---------------------|-------|----------|-----------|---------------|

| Term | Documents |
|-------------------------|-----------|
| DATABASE | 438618 |
| DATABASIS | 0 |
| DATABASES | 30520 |
| (1 AND DATABASE).USPT. | 1 |
| (L1 AND DATABASE).USPT. | 1 |

Display Format: KWIC [Change Format](#)

[Previous Page](#)

[Next Page](#)

[Go to Doc#](#)